


REGISTRATION OF CHASSIS & BRAKE


<i>Category</i>	BAMBINO
<i>Valid From</i>	1 st January 2011
<i>Number of Pages</i>	7

This Homologation Form reproduces descriptions, illustrations and dimensions of the chassis at the moment of the MSA homologation. The Manufacturer may modify them, but only within the limits set by the MSA regulations in force and with the written agreement of the MSA.



SIGNATURE AND STAMP OF THE MSA	
	Date: 1st January 2011 Signed by: John Ryan Position: MSA Technical Executive

CHASSIS

<i>Manufacturer</i>	CRG
<i>Make</i>	CRG
<i>Model</i>	SMURF




TECHNICAL DRAWINGS OF FRAME



DETAILS OF IDENTITY PLATE



Photograph of I.D. plate



Photograph / drawing of position of I.D. plate

DIMENSIONS OF FRAME

		<i>Measurement</i>	<i>Tolerance</i>
A:	Total Length	1180 mm	+/- 10mm
B:	Width at Front Axle (outer)	535 mm	+/- 10mm
C:	Width at Rear Axle (outer)	475 mm	+/- 10mm
D:	Wheelbase	880 mm	+/- 10mm
E:	Number of Bends	6	-
F:	Number of Tubes with Ø over 21mm	6	(max. 6)
G:	Tube Diameter	25 mm	+/- 0.3mm
H:	Tube Wall Thickness	2 mm	+/- 0.2mm
I:	Tube Material	Steel	mandatory
J:	Number of Bearings	2	mandatory
K:	Outside Ø of Axle	25 mm	+/- 0.2mm
L:	Axle Wall Thickness	Solid	+/- 0.2mm

COMPLIMENTARY INFORMATION

BRAKE SYSTEM


<i>Manufacturer</i>	CRG
<i>Make</i>	CRG
<i>Model</i>	SMURF



Photograph of complete brake system

TECHNICAL DETAILS

		<i>Measurement</i>	<i>Tolerance</i>
A:	Actuation	Mechanical	-
B:	Number of Calipers	1	-
C:	Caliper Material	Aluminium	-
D:	Number of Pads	2	<i>per Caliper</i>
E:	Thickness of Disc	5 mm	+/- 1mm
F:	External Ø of Disc	180 mm	+/- 1.5mm
G:	Internal Ø of Disc	100 mm	+/- 1.5mm
H:	Drilled Disc?	NO	-
I:	Grooved Disc?	NO	-
J:	Number of Mounting Lugs	6	-
K:	Dual Linkage?	NO	-



Photograph of brake caliper



Photograph of brake disc

COMPLIMENTARY INFORMATION