


HOMOLOGATION OF BRAKE SYSTEM


<i>Manufacturer</i>	OTK Kart Group s.r.l.
<i>Make</i>	OTK
<i>Model</i>	BSM
<i>Category</i>	Formula Cadet
<i>Valid from</i>	01 January 2014
<i>Valid until</i>	31 December 2022
<i>Number of pages</i>	3

This Homologation Form reproduces descriptions, illustrations and dimensions of the brake system at the moment of the MSA homologation. The Manufacturer may modify them, but only within the limits set by the MSA Regulations in force and with the written agreement of the MSA.




Photograph of the complete brake system


SIGNATURE AND STAMP OF THE MSA

	<p>Date: 17 December 2013</p> <p>Signed by: Joe Hickerton</p> <p>Position: Technical Administrator</p>
---	---

TECHNICAL INFORMATION

		<i>Measurement</i>	<i>Tolerance/Remark</i>
A:	Master Cylinder Bore	13 mm	-
B:	Number of callipers	1	-
C:	Number of calliper pistons	2	per caliper
D:	Calliper piston bore(s)	30.12 mm	-
E:	Number of pads	2	per caliper
F:	Calliper material	Alloy	-
G:	Disc material	Steel	-
H:	Drilled and/or Grooved?	Yes	-
I:	Vented disc?	No	-
J:	Thickness of new disc	4 mm	± 1 mm (2.5mm minimum)
K:	External diameter of disc	180 mm	± 1.5 mm
L:	Internal diameter of disc	116 mm	Maximum
M:	Number of mounting lugs	3	-





Photograph of brake disc

COMPLIMENTARY INFORMATION

A large, empty rectangular box with a black border, intended for providing complimentary information.